

Model	Internal				Dimensions										
	Voltage (V)	Capacity @20h Ah	Resistance (mOhm)	Energy Wh	Length		Width		Height		Total Height		Terminal Type	Weight ± 4%	
					mm	in	mm	in	mm	in	mm	in		Kg	Lbs
AGM6-45	6	4.5	30	27	70	2.76	47	1.85	101	3.98	107	4.21	T1	0.68	1.5
AGM12-50	12	5	26	60	90	3.54	70	2.76	101	3.98	107	4.21	T1	1.6	3.5
AGM12-70	12	7	28	84	151	5.94	65	2.56	94	3.7	100	3.94	T1/T2	2.22	4.9
AGM12-120	12	12	19	144	151	5.94	98	3.86	95	3.74	101	3.98	T2	3.5	7.7
AGM12-180	12	18	16	216	181	7.13	77	3.03	167	6.57	167	6.57	T3/T8	5.3	11.7
AGM12-260	12	26	12	312	165	6.5	176	6.93	127	5	127	5	T3	7.9	17.4
AGM12-350	12	35	9	420	195	7.7	130	5.1	155	6.1	180/166	7.1/6.7	T7/T9	10.2	22.5
AGM12-400	12	40	8.5	480	197	7.8	165	6.5	170	6.7	170/170	6.7/6.7	T4/T9	12.5	27.6
AGM12-500	12	50	7.5	600	229	9	138	5.4	208	8.2	230/211	9.1/8.3	T5/T9	16	35.3
AGM12-750	12	75	6	900	260	10.2	168	6.6	211	8.3	233/214	9.2/8.4	T5/T9	22.5	49.6
AGM12-1000	12	100	4.5	1200	330	13	171	6.7	214	8.4	224/220	8.8/8.7	T5/T9	30	66.1
AGM12-2000	12	200	3	2400	522	20.6	238	9.4	218	8.6	238/221	9.4/8.7	T5/T11	60.5	133.4
AGM12-2500	12	250	2.6	3000	521	20.5	269	10.6	220	8.7	242/223	9.5/8.8	T5/T11	72.8	160.5
AGM6-200GC2	6	200	2	1200	243	9.57	187	7.36	253	9.96	276	10.87	T11	33	72.8
AGM6-400L16	6	400	1.7	2400	296	11.64	177	6.95	400	15.73	416	16.40	M8	54	119

Our Lead Acid AGM procurement program allows companies to receive container level pricing at pallet quantities at regular delivery intervals.

Minimum Order Quantity: 1 Pallet.

Lead Time: 60 Days on the Initial Order. Subsequent deliveries are based upon prearranged shipping dates.

Payment Terms: Net 30 for prequalified companies.

Shipping: FOB POWERSYNC Energy Solutions warehouse.

Warranty: 18 month limited warranty.

For POWERSYNC products not listed, please contact your POWERSYNC Energy Solutions representative.

Features

- Sealed and Maintenance-free Operation
- High Quality and High Reliability
- Exceptional Deep Discharge Recovery
- Low Self-discharge
- Long Service Life
- Solid Copper Terminals
- Tank-formed Plates
- Computer-aided Design and Manufacturing
- UL, CE, VdS Approved

Typical Applications

- Telecommunication equipment
- Electronic instruments
- Fire alarm
- Security devices
- UPS power supply
- Emergency lighting